



The Influence of the Surface on Player Biomechanics and Injury



Introduction

Injuries in professional sports can significantly impact players' physical and mental well-being, affect team finances, and reduce the likelihood of winning championships. A survey among elite football professionals ranked injury risk assessment and prevention as top priorities, even above workload management and player monitoring. In professional football, a sport played predominantly on grass, injury rates are notably high.

For example, teams in the English Premier League have seen a 50% increase in sprint distances between the 2006-07 and 2012-13 seasons, correlating with an increase in injury incidents. On average, a team of 25 players experiences about 50 injuries per season. A substantial portion of these injuries are non-contact, comprising over 90% of muscle injuries and between 51% and 64% of joint and ligament injuries. The complexity and prevalence of these injuries highlight the urgent need for effective prevention strategies.



The Role of Playing Surfaces



Surface Conditions in played on Turf

In turf sports like football, rugby, and American football, the playing surface is a crucial external factor affecting player performance and injury risk. Coaches frequently cite the quality of the playing surface as a determinant of team performance, and studies reveal that over 90% of players believe there is a link between surface conditions and injuries. However, despite its significance, the relationship between playing surface properties (such as hardness and traction) and player biomechanics remains under-researched in football.

Surface Properties and Player Interaction

Key biomechanical properties of playing surfaces include surface hardness and frictional resistance. Surface hardness encompasses both stiffness and resilience, influencing how much the ground deforms underfoot and how much energy is returned to the player. Frictional resistance, expressed as translational and rotational traction, is essential for allowing players to perform athletic movements like sprints and turns without slipping. Understanding these properties is vital for assessing how different surfaces affect player biomechanics and injury risk.

Effects of Surface Conditions on Player Biomechanics



Adaptation to Surface Stiffness

Athletes naturally adjust their biomechanics to match the stiffness of the playing surface. For instance, runners adapt their leg stiffness to maintain stability on varying surfaces. In football, this adaptation is critical as players encounter diverse surface properties during games, helping them maintain balance and performance. However, significant variations in surface stiffness within a single field or across different venues can increase the risk of fatigue and overuse injuries.

Impact on Performance and Muscle Activation

Surface properties directly influence muscle activation patterns, which in turn affect player performance. Studies indicate that surfaces with higher energy return can reduce sprint and agility course times, enhancing performance. On the other hand, softer natural grass surfaces facilitate more frequent high-intensity movements, such as shuffling and turning. These biomechanical interactions with different surface types underscore the complex relationship between playing conditions and player performance.

Team and Game-Level Effects of Surface Conditions



Influence on Team Dynamics

Playing surfaces not only impact individual players but also influence overall team dynamics and game flow. Variability in surface properties within a field can affect team speed and coordination. Research has shown that harder pitches in the Australian Football League lead to faster gameplay, more scoring opportunities, and higher collision rates, ultimately increasing injury risk. These findings highlight the broader implications of surface conditions on team performance and injury rates.

Game Play and Injury Risk

Surface conditions also dictate the nature of gameplay and associated injury risks. Harder surfaces foster faster, more dynamic play, leading to higher collision risks and impact-related injuries. Softer surfaces, while potentially reducing acute impact injuries, can increase muscle fatigue and the likelihood of overuse injuries due to the higher muscular work required. Understanding these dynamics is crucial for developing effective training and game strategies that account for varying surface conditions.

Conceptual Framework for Injury Risk



Model by Rennie et al.

Rennie et al. proposed a comprehensive model that considers both intrinsic (player-related) and extrinsic (environment-related) risk factors for injuries. In this framework, playing surface properties are a key extrinsic factor. The model emphasises how different surface conditions can influence injury mechanisms, highlighting the need to consider these factors when assessing injury risks.

Surface Hardness and Injury Risk

Soft Pitches

Softer pitches generally produce lower ground reaction forces, reducing the immediate impact on joints and bones. However, to maintain stability on these surfaces, players often increase leg stiffness, which leads to higher muscular effort and energy expenditure. This can cause muscle fatigue and elevate the risk of fatigue-induced injuries such as strains and ligament damage.

Injury Risks:

Muscle strains from increased muscular work and ligament or meniscal injuries due to prolonged fatigue and impaired muscular control.

Hard Pitches

Harder pitches create higher ground reaction forces, requiring effective absorption and dissipation by the musculoskeletal system. These forces place significant stress on joints and tendons, increasing the risk of chronic injuries. The faster pace of play on hard surfaces also elevates the risk of acute injuries from collisions and high-impact movements.

Injury Risks:

Joint and tendon injuries from repetitive high-impact forces and muscle strains from increased game speeds and collision risks.

Conceptual Framework for Injury Risk

Optimising Playing Surfaces

To reduce injury risks and enhance performance, playing surfaces should be optimised to balance key biomechanical properties

- **Shock Absorption:** Surfaces must effectively absorb impact forces to minimise stress on players' joints and muscles.
- **Traction:** Adequate traction is necessary for safe and effective movement without causing excessive stress on the body.
- **Energy Return:** Surfaces that return energy efficiently can reduce player fatigue and enhance performance.

Balancing these factors is crucial for creating safe and effective playing conditions.

Collaboration and Innovation

Developing optimal playing surfaces requires a collaborative effort involving sports scientists, engineers, and turf management professionals. Key areas of focus include:

- **Material Innovation:** Creating advanced surface materials that improve shock absorption, traction, and energy return.
- **Maintenance Protocols:** Establishing effective maintenance practices to keep surfaces consistent and safe.
- **Performance Metrics:** Utilising precise biomechanical data to evaluate and optimise surface properties.

Interdisciplinary collaboration is essential for designing surfaces that meet the biomechanical needs of athletes while maintaining high standards of playability and durability.

Conceptual Framework for Injury Risk



Monitoring and Maintenance

Continuous monitoring and regular maintenance are vital to ensure the safety and effectiveness of playing surfaces. Essential practices include:

- **Regular Testing:** Implementing standardised protocols to assess surface hardness, traction, and energy absorption regularly.
- **Adaptive Maintenance:** Adjusting maintenance practices based on seasonal changes, wear patterns, and feedback from players.
- **Quality Control:** Ensuring surfaces consistently meet safety and performance standards through robust quality control measures.

These practices help maintain high-quality surfaces that support player health and performance over time.

Conclusion

The interaction between athletes and playing surfaces is a fundamental factor in sports performance and injury risk. Biomechanical research provides critical insights into how surface characteristics influence player behaviour and health, guiding evidence-based practices to enhance safety and performance across various sports. Continued advancements in surface design, maintenance, and biomechanical analysis are crucial for improving athlete outcomes.

By focusing on optimising playing surface properties and implementing rigorous quality control measures, we can better protect athletes from injuries and support their peak performance. Ongoing collaboration between sports scientists, engineers, and turf management professionals is key to raising the standards of sports science and medicine, leading to safer and more effective sporting environments.

Contact us:

info@turf.coach
www.turf.coach